

L Number	Hits	Search Text	DB	Time stamp
-	12	(structur\$2 near quer\$3 near language or sql) same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:04
-	0	(structur\$2 near quer\$3 near language or sql) and exclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:01
-	0	exclusion same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:01
-	3526	(exclus\$3 or inclus\$3) same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:02
-	2	(exclus\$3 or inclus\$3) same hash\$3 same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:03
-	133	sql and hash\$3 same join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:03
-	0	(sql and hash\$3 same join\$1) and transpos\$3 same table\$1 same hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:04
-	1	(sql and hash\$3 same join\$1) and transpos\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/09/17 18:04
-	0	herein adj after	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:59
-	870781	hereinafter	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/15 13:59

-	28	ncr.as. and join\$3 near table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 10:55
-	2	ncr.as. and join\$3 near table\$1 same hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:05
-	10	ncr.as. and join\$3 near table\$1 and hash\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:21
-	0	(inclus\$3 and exclus\$3) same hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 11:22
-	0	(inclus\$3) same hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:55
-	18	(inclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:55
-	4	(inclus\$3 and exclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 13:57
-	18	(inclus\$3) and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:11
-	27	outer near table\$1 and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 14:20
-	21	(outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:45

-	1	((outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1) and (transpos\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:13
-	1	((outer and inner) near table\$1 and hash\$3 same join\$3 same table\$1) and (transpos\$3 or swap\$4) same inner same outer same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 15:14
-	2	hash near join\$1 same (transpose\$3 or swap\$3 or revers\$3 or interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:48
-	3	hash near join\$1 and quer\$3 same exclus\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/16 16:49
-	631	(transpos\$3 or swap\$4 or interchang\$3) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:13
-	4	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:15
-	24	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:18
-	2	(transpos\$3 or swap\$4 or interchang\$3) same (inner same outer) near table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:18
-	26	(transpos\$3 or swap\$4 or interchang\$3) same (inner or outer) with table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 15:19
-	12	(transpos\$3 or swap\$4 or interchang\$3) with table\$1 and (hash\$3 same join\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:07

-	1114	quer\$3 same (inclus\$3 or exclus\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:07
-	13	quer\$3 same (inclus\$3 or exclus\$3) and (transpos\$3 or swap\$4 or Interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/17 16:08
-	0	exclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:04
-	0	inclus\$3 same hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:05
-	0	inclus\$3 and exclus\$3 and hash near join\$1 and (transpos\$3 or interchang\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:05
-	6	hash near join\$1 and (transpos\$3 or interchang\$3 or swap\$4) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:15
-	1	"5983215".PN.	USPAT	2003/10/18 14:13
-	1	"5878427".PN.	USPAT	2003/10/18 14:13
-	82	707/2-4.ccls. and hash near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:16
-	35	(707/2-4.ccls. and hash near join\$1 ) and (inner with table\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:30
-	4	((707/2-4.ccls. and hash near join\$1 ) and (inner with table\$1)) and (swap\$4 or transpo\$3 or exchang\$3 or Interchang\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:17

-	0	707/\$.cccls. and (join\$1 near optimiz\$3) same (swap\$4 or exchang\$3 or interchang\$3 or transpos\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:36
-	3	707/\$.cccls. and (join\$1 near optimiz\$3) and (swap\$4 or exchang\$3 or interchang\$3 or transpos\$3) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:45
-	1	(replac\$3 or substitut\$3) same merge near join\$1 same hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:48
-	3723	(multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:50
-	235	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:51
-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (session near control\$1) and (interpret\$3 or pars\$3) same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:53
-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (session near control\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:54
-	0	((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (control\$3 same session\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55

-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (session\$1) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (control\$3 with access\$3 same process\$3) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:55
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and pars\$3 same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:56
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and pars\$3 same (quer\$1) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:57
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and pars\$3 and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:58
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:58
-	0	(((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1) and (configur\$3 or setup) same (manag\$3 or manipulats) same data) and (session near control\$1) and (interpret\$3 or pars\$3) same (quer\$1 or command\$1) and (optimizer\$1) and (execut\$3 near plan\$1)) and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:59

-	90	parser\$1 and (optimizer\$1) and (execut\$3 near plan\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 14:59
-	8	parser\$1 and (optimizer\$1) and (execut\$3 near plan\$1) and ((multiple or pluralit\$3) with (cpu\$1 or processor\$1 or process\$3 near unit\$1) same node\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:18
-	40	merge near join\$1 same hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:51
-	396	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:52
-	5	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and quer\$3 same optimiz\$5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 16:54
-	24	(transpos\$3 or switch\$3 or swap\$4 or interchang\$3) same (inner same outer) same table\$1 and (quer\$3 or sql)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:54
-	0	header same hash near value same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
-	0	header same hash near value\$1 same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
-	0	header same hash with value\$1 same (pre-calculat\$3 or pre-comput\$3 or pre-determin\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55
-	260	header same hash with value\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:55

-	1	header same hash with value\$1 and hash\$3 near join\$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/10/18 17:56
---	---	--	---	---------------------